

AMON DECOR




المجموعة الهندسية أمون

WATERFALLS CURTAINS

شلالات وستائر مائية







Code : FCB



Rear Inlet Code	Flow Rate (m3/hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FC-B-40	10	40	40	22	2	1.5	3	1.25
FC-B-50	12	50	40	27	2	1.5	3	1.25
FC-B-70	15	70	40	37	2	1.5	3	1.25
FC-B-100	20	100	40	52	2	1.5	3	1.25

Available Colors


Gold



Rose Gold







Code : FCS

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Flow Rate (m3/hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FC-S40	10	40	30	22	2	1.5	3	1.25
FC-S50	12	50	30	27	2	1.5	3	1.25
FC-S70	15	70	30	36	2	1.5	3	1.25
FC-S100	20	100	30	52	2	1.5	3	1.25

Available Colors

Gold



Rose Gold







Code : FQ

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Or you can {customize} the right size for your space

70 cm

100 cm

Rear Inlet Code	Flow Rate (m ³ /hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
F-Q-50	10	50	30	27	2	1.5	3	1.25
F-Q-70	15	70	40	18	2	1.5	3	1.25
F-Q-100	20	100	40	25	2	1.5	3	1.25

”

Available Colors

Gold



Rose Gold







Code : FQB

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes



Rear Inlet Code	Flow Rate (m ³ /hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FQB-100	10	100	40	21	2	1.5	3	1.25
FQB-70	8	70	40	22	2	1.5	3	1.25

Available Colors

Gold



Rose Gold







Code : FJE

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes



Rear Inlet Code	Flow Rate (m3/hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FJE-70	16	70	40	36	2	1.5	3	1.25
FJE-100	18	100	40	55	2	1.5	3	1.25


Available Colors

Gold



Rose Gold





Code : FJE7

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Or you can {customize} the right size for your space

70 cm

70 cm

Rear Inlet Code	Flow Rate (m ³ /hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
F-JE7-1	10	70	7	7	2	1.5	3	1.25
F-JE7-2	10	70	7	7	2	1.5	3	1.25
F-JE7-3	10	70	7	7	2	1.5	3	1.25

”

Available Colors


Gold



Rose Gold







Code : FDU

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Or you can {customize} the right size for your space
50 cm 50 cm

Rear Inlet Code	Flow Rate (m ³ /hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FDU-50	18	50	30	50	2	1.5	3	1.25

”





Or you can {customize} the right size for your space

50 cm 70 cm 100 cm

Code : FG

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Flow Rate (m3/hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FG-50	10	50	30	20	2	1.5	3	1.25
FG-70	15	70	30	26	2	1.5	3	1.25
FG-100	20	100	30	38	2	1.5	3	1.25

”

Available Colors

Gold



Rose Gold





Or you can {customize} the right size for your space

50 cm

80 cm

Code : FDO

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Flow Rate (m3/hr)	Height (CM)	Width (CM)	Distance (CM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
FDO-50	10	50	30	20	2	1.5	3	1.25
FDO-80	17	80	30	26	2	1.5	3	1.25

”

Available Colors

Gold




Rose Gold



CURTAINS

ستائر مائية





Code : RIN6


The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Bottom Inlet Code	Length (cm)	Flow Rate (m3/hr)	Thickness (MM)
RIN-9-30-R	RIN-9-30-B	30	2	1.5
RIN-9-50-R	RIN-9-50-B	50	4	1.5
RIN-9-60-R	RIN-9-60-B	60	5	1.5
RIN-9-80-R	RIN-9-80-B	80	7	1.5
RIN-9-100-R	RIN-9-100-B	100	11	1.5



”





Code : RIN9

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Bottom Inlet Code	Length (cm)	Flow Rate (m3/hr)	Thickness (MM)
RIN-6-30-R	RIN-6-30-B	30	4	1.5
RIN-6-50-R	RIN-6-50-B	50	6	1.5
RIN-6-60-R	RIN-6-60-B	60	9	1.5
RIN-6-80-R	RIN-6-80-B	80	12	1.5
RIN-6-100-R	RIN-6-100-B	100	15	1.5







Code : REXT

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes


Or you can {customize} the right size for your space

50 cm 100 cm 150 cm 200 cm

Rear Inlet Code	Length (cm)	Flow Rate (m ³ /hr)	Thickness (MM)	Thickness Side (MM)	Thickness Roof (MM)	Thickness Base (MM)	Thickness Cover (MM)
REX-T-50	50	3	1.5	2	1.5	3	1.25
REX-T-100	100	7	1.5	2	1.5	3	1.25
REX-T-150	150	10	1.5	2	1.5	3	1.25
REX-T-200	200	14	1.5	2	1.5	3	1.25







Code : REXTUBE

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Length (cm)	Flow Rate (m ³ /hr)	Thickness (MM)
REX-TUBE-1	40	4	1.5
REX-TUBE-2	30	5	1.5
REX-TUBE-3	30	5	1.5

WATERFALLS CURTAINS

النزل





Code : FODRY

MODEL NO.	BODY DIAMETER (CM)	Flow (M3/H)	WATER HEIGHT	COVER DIAMETER (CM)	MATERIALS
FO-DRY3	33*33*40	0.5-1.5	50-150	20	STAINLESS STEEL 304

”



Code : NFG

MODEL NO.	JOINT SIZE	PRESSURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NFG01	1"	60-180	3.6-60	2.7	0.3-0.8	STAINLESS STEEL 304
NFG012	1.5"	100-250	4-8	3.5	0.5-1	
NFG02	2"	250-500	5-10	10	1.2-2	



Code : NCA

MODEL NO.	JOINT SIZE	PRESSURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NCA015	1/2"	40-200	2-4	1-4	0.2	STAINLESS STEEL 304
NCA034	3/4"	40-200	2-4	1-4	0.2	
NCA01	1"	40-200	60-10	1-4	0.3	
NCA02	2"	50-400	12-25	1-10	1	



Code : NFA

MODEL NO.	JOINT SIZE	PRESSURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NFA034	3/4"	30-50	2-3	0.2-0.6	0.4-0.8	STAINLESS STEEL 304
NFA01	1"	30-80	4-8	0.3-0.8	0.6-1.2	
NFA015	1-1/2"	30-80	18-10	0.5-1.0	0.8-1.5	
NFA03	3"	60-120	24-26	1.0-2.3	1.5-2.5	



Code : NCO

MODEL NO.	JOINT SIZE	PRES-SURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NCO010	1/4"	50-100	0.1-0.5	1-3	-	STAINLESS STEEL 304
NCO011	1/2"	50-150	0.3-1.5	1-6	-	
NCO034	3/4"	50-150	1-3	1-8	-	
NCO01	1"	50-150	2-4	3-12	-	
NCO014	1-1/2"	50-150	3-6	3-15	-	
NCO02	2"	50-150	5-8	3-20	-	
NCO016	2-1/2"	50-200	6-10	4-20	-	
NCO03	3"	50-250	8-12	5-30	-	
NCO04	4"	50-300	10-16	6-40	-	



Code : NPH

MODEL NO.	JOINT SIZE	PRES- SURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NPH034	3/4"	50-70	2-4	2-3		STAINLESS STEEL 304
NPH01	1"	50-80	5-8	2-3		
NPH02	1-1/2"	50-15	7-10	2-3		

”



Code : NST

MODEL NO	DIMENSIONS (MM)	WATER DEMAND (L/MIN)	MATERIALS
NST18	22*22*40	0.5	STAINLESS STEEL 304 LACE

”



Code : NCI

MODEL NO.	JOINT SIZE	PRESSURE	Flow (M3/H)	SPRAY HEIGHT (M)	COVER DIAMETER (M)	MATERIALS
NCI01	1"	100-200	13-18	3-6	0.3-0.5	STAINLESS STEEL 304
NCI02	1.1/2"	120-200	21-30	5-7	0.6-0.8	

WATERFALLS CURTAINS

الشاور

AMON DECOR



امون للديكور والأعمال الخشبية



Code : SHW0180

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes


Rear Inlet Code	Length (CM)	Width (CM)	Hight (CM)	StainlessSteel (TYPE)	StainlessSteel (Thickness [MM])	Wood			
SHW0180	180	150	210	304	2	Length (CM)	Width (CM)	Thickness (CM)	(TYPE)
Mechanism			Filter						
Inside Electric Valve			No Filter			150	5	2	Tek Wood OR Beech Wood



Code : SHW0150

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Length (CM)	Width (CM)	Hight (CM)	StainlessSteel (TYPE)	StainlessSteel (Thickness [MM])	Mechanism	Filter
SHW0150	180	150	210	304	2	Inside Electric Valve	No Filter








Code : SHW0200

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Length (CM)	Width (CM)	Hight (CM)	StainlessSteel (TYPE)	StainlessSteel (Thickness [MM])	Wood			
SHW0200	200	80	240	304	2	Length (CM)	Width (CM)	Thickness (CM)	(TYPE)
Mechanism			Filter						
Inside Electric Valve			No Filter			-	5	2.00	Tek Wood OR Beech Wood

”





Code : SHW0300

The product made of Stainless Steel (Esp. 304)
Water inlet 1.5 inch or inch for all sizes

Rear Inlet Code	Length (CM)	Width (CM)	Hight (CM)	StainlessSteel (TYPE)	StainlessSteel (Thickness [MM])	Wood			
SHW0300	100	80	240	304	2	Length (CM)	Width (CM)	Thickness (CM)	(TYPE)
Mechanism			Filter						
Inside Electric Valve			No Filter			-	5	2.00	Tek Wood OR Beech Wood

”

WATERFALLS CURTAINS

الشارلونج





Code : CLS-014

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)	Thickness Side (MM)	Wood Length (CM)	Wood Width (CM)	Wood Thickness (CM)	Wood Type
CLS-014	165	55	92	3	60.0	5	2.00	Tek Wood OR Beech Wood






Code : CLS-013

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)	Thickness Side (MM)	Wood Length (CM)	Wood Width (CM)	Wood Thickness (CM)	Wood Type
CLS-013	197	60	127	3	60.0	5	2.00	Tek Wood OR Beech Wood





Code : CLS-015

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)	Thickness Side (MM)	Wood Length (CM)	Wood Width (CM)	Wood Thickness (CM)	Wood Type
CLS-015	192	60	52	3	60.0	5	2.00	Tek Wood OR Beech Wood



Code : CLS-006



MODEL NO.	Length (CM)	Width (CM)	Hight (CM)
CLS-006	160	42	52



Code : CLS-005

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)
CLS-005	190	55	52



Code : CLS-010

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)
CLS-010	-	-	-



Code : CLS-007

MODEL NO.	Length (CM)	Width (CM)	Hight (CM)
CLS-007	-	-	-

AMON DECOR



المجموعة الهندسية أمون

